

NMEA2000® Deck Gauge

Part Number: 5250-F, 5250-W

USER MANUAL




INTRODUCTION

The 5250-F and 5250-W Deck Gauges are designed to display the contents of the tank at deck level near the tank filler to avoid over filling and spillages.

The unit has a 3 character blue digital LED display that shows the tank level as a percentage from 0 - 100%. Inbuilt light sensor adjusts the brightness of the display to be fully and easily readable in direct sunlight, as well as dimmed at night to preserve night vision.

The 5250 is designed to be used on an NMEA2000® network.

NMEA2000® network example:



SAFETY INSTRUCTIONS

This unit should only be installed by a person competent and experienced in working on electrical systems on boats. Before beginning the work the battery should be disconnected to avoid the risk of a short circuit, fire or explosion. Before drilling any holes to mount the unit or run the cabling always make sure it is safe to do so.

INCLUDED IN THE BOX


- 5250 Deck Gauge
- Installation and Operation Instructions (this document)
- 3x M4 30mm countersunk screws
- 3 x M4 nuts
- 3 x M4 flat washers

LOCATION AND INSTALLATION

The 5250 Deck Gauge should be mounted horizontally or vertically near the tank filler cap, so that it can be seen easily during the tank filling operation. To install the gauge, cut a 60.5mm mounting hole, place the gauge within, and use this as a guide to mark and drill the three fixing holes. These holes are designed to fit suitable M4 countersunk or self-tapping screws.

To connect to the NMEA2000® network use a NMEA2000® drop cable to connect from the male M12 plug on the rear of the unit to the nearest Tee connector.

Mounting dimensions.



CALIBRATION AND SETUP

No calibration is required. Simply set the small rotary switch to the tank instance of the tank to be monitored in the table below. It will automatically display the tank level percentage.

Switch	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
Instance	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15

TROUBLESHOOTING

No display	Check that the unit is connected to the NMEA2000® network securely and that the network is powered correctly.
“NO INPUT” displayed	NMEA2000® There is no tank data on the network that matches the 5250 tank type and device instance switch position.

TECHNICAL SUPPORT

If you require technical support for any Oceanic Systems products you can reach us using any of the following:-

- Tel: +44(0)1425 610022
- Email: support@osukl.com
- Web: www.osukl.com
- Post: Oceanic Systems (UK) Ltd, Unit 10-11 Milton Business Centre, Wick Drive, New Milton, Hampshire BH25 6RH

WARRANTY

Oceanic Systems warrants this product to be free from defects in materials and workmanship for one year from the date of original purchase. If within the applicable period any such products shall be proved to Oceanic Systems satisfaction to fail to meet the above limited warranty, such products shall be repaired or replaced at Oceanic Systems option. Purchaser's exclusive remedy and Oceanic Systems sole obligation hereunder, provided product is returned pursuant to the return requirements below, shall be limited to the repair or replacement, at Oceanic Systems option, of any product not meeting the above limited warranty and which is returned to Oceanic Systems'; or if Oceanic Systems is unable to deliver a replacement that is free from defects in materials or workmanship, Purchaser's payment for such product will be refunded. Oceanic Systems assumes no liability whatsoever for expenses of removing any defective product or part, or for installing the repaired product or part or a replacement therefore or for any loss or damage to equipment in connection with which Oceanic Systems products or parts shall be used. The foregoing warranties shall not apply with respect to products subjected to negligence, misuse, misapplication, accident, damages by circumstances beyond Oceanic Systems control, to improper installation, operation, maintenance, or storage, or to other than normal use or service.

THE FOREGOING WARRANTIES ARE EXPRESSLY IN LIEU OF AND EXCLUDES ALL OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE.

Statements made by any person, including representatives of Oceanic Systems, which are inconsistent or in conflict with the terms of this Limited Warranty, shall not be binding upon Oceanic Systems unless reduced to writing and approved by an officer of Oceanic Systems. IN NO CASE WILL OCEANIC SYSTEMS BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, DAMAGES FOR LOSS OF USE, LOSS OF ANTICIPATED PROFITS OR SAVINGS, OR ANY OTHER LOSS

INCURRED BECAUSE OF INTERRUPTION OF SERVICE. IN NO EVENT SHALL OCEANIC SYSTEMS AGGREGATE LIABILITY EXCEED THE PURCHASE PRICE OF THE PRODUCT(S) INVOLVED. OCEANIC SYSTEMS SHALL NOT BE SUBJECT TO ANY OTHER OBLIGATIONS OR LIABILITIES, WHETHER ARISING OUT OF BREACH OF CONTRACT OR WARRANTY, TORT (INCLUDING NEGLIGENCE), OR OTHER THEORIES OF LAW WITH RESPECT TO PRODUCTS SOLD OR SERVICES RENDERED BY OFFSHORE DYNAMICS, OR ANY UNDERTAKINGS, ACTS OR OMISSIONS RELATING THERETO.

Oceanic Systems does not warrant that the functions contained in any software programs or products will meet purchaser's requirements or that the operation of the software programs or products will be uninterrupted or error free. Purchaser assumes responsibility for the selection of the software programs or products to achieve the intended results, and for the installation, use and results obtained from said programs or products. No specifications, samples, descriptions, or illustrations provided by Oceanic Systems to Purchaser, whether directly, in trade literature, brochures or other documentation shall be construed as warranties of any kind, and any failure to conform to such specifications, samples, descriptions, or illustrations shall not constitute any breach of Oceanic Systems limited warranty.

WARRANTY RETURN PROCEDURE

To apply for warranty claims, contact Oceanic Systems or one of its dealers to describe the problem and determine the appropriate course of action. If a return is necessary, place the product in its original packaging together with proof of purchase and send to an Authorized Oceanic Systems Service Location. You are responsible for all shipping and insurance charges. Oceanic Systems will return the replaced or repaired product with shipping prepaid except for requests requiring expedited shipping (i.e. overnight shipments). Failure to follow this warranty return procedure could result in the product's warranty becoming null and void. Oceanic Systems reserves the right to modify or replace, at its sole discretion, without prior notification, the warranty listed above.

Oceanic Systems (UK) Ltd
Unit 10-11 Milton Business Centre, Wick Drive,
New Milton, Hampshire, BH25 6RH, United Kingdom

Tel: +44(0)1425 610022
Email: sales@osukl.com
Web: www.osukl.com

Copyright © 2025 Oceanic Systems (UK) Ltd. All rights reserved. Our policy is one of continuous product improvement so product specifications are subject to change without notice. Oceanic Systems products are designed to be accurate and reliable. However, they should be used only as aids to vessel monitoring, and not as a replacement for traditional navigation and vessel monitoring techniques. NMEA2000® is a registered trademark of the National Marine Electronics Association.